

TAURU

SPORTS LIGHTER



ETL Listed Sports Lighter TAURU

Applications :

- Field Houses.
- Airport.
- Indoor Stadiums.

LED Driver:

Universal Input Voltage 120-277 Vac
50/60 Hz.

Optional Input Voltage 249-528 Vac
50/60 Hz.


A line to Earth 6KV Surge Protection.
IP67 Rated LED Driver.

Power Factor > 0.90.

THD < 20%.

CRI > 70.

CCT : 4000K/5000K.



Category: ETL Listed Lighting

Description

Description

ETL Listed Sports Lighter TAURU Features:

ETL Listed Sports Lighter TAURU use High-pressure die-cast, Powder Coated Aluminum Housing.

Polycarbonate Optical Lens: 15° Flood optic, 40° Flood optic 110° Flood optic, Type V.

Yoke Mount standard, U Bracket for optional.

Light shield for optional.

Lightning protector for optional.

Long-life, high-efficiency surface mounting LEDs.

L70>50,000 Hours Rated Lifespan.

5-year Warranty.

Ambient Temperature -35 to 40 °C.

Fixture Protection Class IP66.

ETL Wet Location Listed.

ETL Listed Sports Lighter TAURU Specifications:

Luminaire Efficacy: 125 LM/W.

CCT: 3500K/4000K/5000K.

TAURU325: Input Wattage 325W, Input Voltage 120-277V, LED module: 1, Delivered Lumens : 40625LM.

TAURU650: Input Wattage 650W, Input Voltage 120-277V, LED module: 2, Delivered Lumens : 81250LM.

TAURU975: Input Wattage 975W, Input Voltage 120-277V, LED module: 3, Delivered Lumens : 121875LM.

TAURU Shipping Data:

TAURU325: Package: 72*35.5*28 CM/1 pcs. Approximate Net Weight: 18 KG.

TAURU650: Package: 72*61.5*28 CM/1 pcs. Approximate Net Weight: 37 KG.

TAURU975: Package: 72*86.5*28 CM/1 pcs. Approximate Net Weight: 56.5 KG.

ETL Listed Sports Lighter TAURU Parts option:

Yoke Mount / U Bracket / Light Shield / Lightning Protector.

TAURU order code:

TAURU-A-B-C-D-E-F-G

A: Wattage: 325=325W, 650=650W, 975=975W.

B: Color temperature : 35K=3500K, 40K=4000K, 50K=5000K.

C: Input voltage: (Omit)=120V-277V, 277V UH=347V-480V.

D: Mounting: (Omit)= Yoke Mount, UB=U Bracket.

E: Distribution: T5=Type V, 15=V15, 40=V40, 110=V110.

F: Options: (Omit)=None, LS=Light Shield, LP=Lightning Protector.

G: Coating color: DB=Dark Bronze. (custom color code)

Typical order LED lighting example:

TAURU-325-50K-40-DB.

Order TAURU 325W, CCT: 5000K, 120V-277V, Yoke Mount, Distribution: V40, Dark Bronze.

Other:

Classic Design + Advanced Led Technology For 1000w Hid Sports Replacements.

High-quality manufacturing and workmanship for the classic ball field.

25 years of manufacturing expertise.

High-output lumen light engine.

Complete pole + bracket + fixture assembly options up to 50ft.

Perfect for budget minded 1000w replacements.

CISSR offers a wide range of high-powered LED sport lighters. These fixtures are designed to provide even lighting over your outdoor area or sports court. We know that every sport lighting project is unique; our team is prepared to provide close attention to detail necessary to get the job done right.

Contact Information

ZHEJIANG APPDY INDUSTRY CO., LIMITED.

Yinzhou, Ningbo, Zhejiang China.

+86-574-2881-0298

export@cissr.com

We aim to reply within 24 hours.